

**SPECIFICATION FOR SEALED RECHARGEABLE BATTERY**  
**BNS SKM**

Items Name	Sealed Re-chargeable Battery
Brand	To be mentioned.
Model	To be mentioned.
Country of Orgin	To be mentioned.
Usage	UPS
Voltage	12 Volt
Cycle Use	14.4 to 15.0V
Standby Use	13.5 to 13.8V
Quantity	08 (Eight)
Maintenance	Sealed
Made in	China




MD MIZANUR RAHMAN  
HLT BN  
Divisional Officer  
Electrical Division  
BNS SKM

SPECIFICATION FOR TP-Link TL-SG2210P 8 Port Gigabit Smart PoE Switch

BNS SKM

Brand	TP-Link
Model	TL-SG2210P
Type	Network Switch
Country of Origin	To be mentioned
Manufacturing Country	To be mentioned
Quantity	02
Switching Capacity	10 Gbps
Number of Total Port	8 Port
Interface	8 10/100/1000Mbps RJ45 Ports 2 1000Mbps SFP Slots (Auto-Negotiation/Auto MDI/MDIX)
Warranty	01 Year Warranty
Network Standard	IEEE 802.3i, IEEE 802.3u, IEEE 802.3z, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3x, IEEE 802.1d, IEEE 802.1s, IEEE 802.1w, IEEE 802.1q, IEEE 802.1p, IEEE 802.1x
Power Supply	Maximum (PoE on): 63.4W (220V/50Hz) Maximum (PoE off): 10.4W (220V/50Hz)
Data Transmission Rate	10/ 100/ 1000 Mbps
Dimensions (L x W x H)	8.2 x 4.9 x 1.0 in (209 x 126 x 26mm)
Weight	458 g
LED	Yes



  
MD MIZANUR RAHMAN  
HLT BN  
Divisional Officer  
Electrical Division  
BNS SKM

**SPECIFICATION FOR DAY AND NIGHT OUTDOOR WEATHER PROOF BULLET IP  
CAMERA OF 5 MP  
BNS SKM**

01. **Scope of Supply.** 07 (Seven) in no cameras are to be supplied including test/trial the specifications enumerated in the subsequent paragraphs. Services like installation, supervision and after sale services are also included in the scope of supply.

02. **Purpose:** To enhance the security and surveillance system of BNS SKM

03. **Technical Specification:**

Items Name	Day and night outdoor weather proof bullet IP camera of 5 MP
Brand	Grandstream
Model	GSC3625
Quantity	07 (Seven)
Country of Origin	EU/ USA/ Canada/ Japan.
Camera Technology	IP Camera.
Camera Type	Wired Camera.
Vision type	Day & Night Vision.
Usage	Outdoor Use.
Camera Resolution	5 megapixel.
Operating temperature	-30 <sup>0</sup> to 60 <sup>0</sup> C
Special Features	Waterproof.
Power Input	12V DC
Year of Manufacturing	2024 Or Later


04. **Qualification of bidder.** The bidder shall be an authorized dealer/distributor/business partner (appointed by the manufacturer) or a reseller (appointed by an authorized dealer/distributor/business partner) of all items of CCTV Complete System in this tender. Necessary proof/certificates are to be submitted with the tender.

05. **Installation** Supplier have to be install the camera with existing system & Tested.

06. **Warranty and Guarantee.** Minimum **02 Years Warranty** for trouble free operation is to be provided by the supplier/ manufacturer for the item from the date of acceptance by the buyer. If any component of the supplied items becomes defective during the warranty period, the warranty shall be extended automatically.

07. **Delivery.** The items are to be delivered within **10 days** after receipt of work order to the following address:

Officer-in-Charge  
Naval Sub Store Depot Dhaka  
Namapara, Khilkhet, Dhaka-1229

  
MD MIZANUR RAHMAN  
HLT BN  
Divisional Officer  
Electrical Division  
BNS SKM

08. **Inspection, Test, Trial and Acceptance.** Primary inspection will be done by the CINS Ctg/ACINS Dhaka. After inspection it will be forwarded to concern naval area. After successful test & trial and commissioning, an acceptance certificate will be signed between user and bidders representative. Final acceptance will be given by CINS Ctg/ ACINS Dhaka

09. **Certificate.** An original certificate from manufacturer (OEM) is to be provided along with the offer indicating the year of manufacture.

10. **Necessary manual and catalog.** Following necessary manual and catalog should be provided by the bidder with supplied item:

- a. Operation Manual.
- b. Technical Manual.
- c. Installation and repair manual.
- d. Installation Layout Diagram.



MD MIZANUR RAHMAN  
HLT BN  
Divisional Officer  
Electrical Division  
BNS SKM